



UVC Air Disinfection Wall Unit

Ultraviolet Germicidal Irradiation (UVGI) LED Technology break down and inactivate infectious pathogens such as bacteria and viruses. Patented Optimal UVC LED Irradiation wavelengths of 265nm hidden away from human eyesight is combined with High Air Flow to Safely Disinfect the Air from Viruses and Pathogens.

Comply with UL 867 & UL 2998 Zero Ozone Concentration Levels.

Tested for 99.9% Microbial Reduction !



Model	Product	Size	Power	Flux	Irradiation
UVW-70W-UVC-120V	UV LED Wall Unit 120V 70W UVC	L: 24" H: 8"	70W ~400 ft ²	50W UV	1,000mW UVC 265nm
UVW-100W-UVC-120V	UV LED Wall Unit 120V 100W UVC	D: 4"	100W ~650 ft ²	80W UV	1,600mW UVC 265nm

- 120Vac ~50/60Hz • Rated Life 30KHrs. (L₇₀ B₅₀) at T_[A] 25°C • UVC 265nm •
- Airflow: 45 CFM • Noise Level: 47 dBA •

CAUTION – WARNING ! Skin exposure to germicidal wavelengths of UV light can produce rapid sunburn and skin cancer ! This UV radiation can damage the retina of the eye !



UVC Air Disinfection Wall Unit

UVC LED Irradiation wavelengths of 265nm combined with High Air Flow optimizes Air Disinfection.

Slim Wall Mount design, mounts in seconds, plug-in to a wall outlet.

Verified Zero Ozone Concentration ≤ 0.005 ppm



INSTRUCTIONS

Use Template to Drill 2 Holes
Inserts Anchors & Screw in the Screws
Mount Unit onto the 2 Screws in the Wall
Plug into a 120Vac ~60Hz Outlet
Turn POWER Switch ON



U.S. Patent #
US 11,167,057



Main Features & Benefits

- Optimal UVC 265nm for Disinfection •
- Hidden UVC Light for Human Eye Safety •
- ON / OFF Power Switch for 24/7 Operation •



CAUTION – WARNING ! Skin exposure to germicidal wavelengths of UV light can produce rapid sunburn and skin cancer ! This UV radiation can damage the retina of the eye !




UVC Air Disinfection Wall Unit

Utilizing optimal UVC LED Irradiation wavelengths of 265nm hidden away from human eyesight combined with High Air Flow to Safely Disinfect the Air from Viruses and Pathogens.

Comply with UL 867 & UL 2998 Zero Ozone Concentration Levels.

Tested for 99.9% Microbial Reduction !



U.S. Patent #
US 11,167,057



Model	Product	Size	Power	Flux	Irradiation
UVW-110W-UVC-120V	UV LED Wall Unit 120V 110W UVC	H: 17¼" W: 12½"	110W ~800 ft²	90W UV	1,800mW UVC 265nm
UVW-150W-UVC-120V	UV LED Wall Unit 120V 150W UVC	D: 4½"	150W ~1,000 ft²	120W UV	2,400mW UVC 265nm

• 120Vac ~50/60Hz • Rated Life 30KHrs. (L₇₀ B₅₀) at T_[A] 25°C • UVC 265nm •
• Airflow: 100 CFM • Noise Level: 47 dB •


CAUTION – WARNING ! Skin exposure to germicidal wavelengths of UV light can produce rapid sunburn and skin cancer ! This UV radiation can damage the retina of the eye !



UVC Air Disinfection Wall Unit

Patented Slim & Low-Profile Wall Mount design, mounts in seconds, and easily plug-in to a wall outlet.

Verified Zero Ozone Concentration ≤ 0.005 ppm



**U.S. Patent #
US 11,167,057**



INSTRUCTIONS

**Use Mounting Plate to Mark & Drill 2 Holes
Inserts Anchors into the 2 Holes in the Wall
Fasten the Mounting Plate to Wall with 2 Screws
Mount Unit onto the Mounting Plate
Plug into a 120Vac ~60Hz Outlet & Turn POWER Switch ON**

CAUTION – WARNING ! Skin exposure to germicidal wavelengths of UV light can produce rapid sunburn and skin cancer ! This UV radiation can damage the retina of the eye !