



### 60W 36A Solar LED Street Light New Cutting-Edge Technology


All-in-One Integrated Solar LED Street Light
Independently Light up dark areas without electricity!
Powerful Solar Panel with Built in Motion Sensor and Photocell



Dusk to Dawn Sensor

- Distribution: Type T1, T2, T3
- IP65, Temp. Range -20°C ~ 65°C •
- Long Life LiFePO4 Lithium Battery
- Programable, Integrated Motion Sensor
- High efficiency Monocrystalline Solar Panel
- 10-Years Solar | 5-Years Battery | 50,000 Hours Lifetime (\*) •




















| Model  | Product  | Size                         | Power  | Flux                                   | Equal   |
|--|--|------------------------------|--|--|---|
| SLSL-60W36A-30K-MS<br>SLSL-60W36A-40K-MS<br>SLSL-60W36A-55K-MS<br>T1/T2/T3 | Integrated Solar LED Street Light 60W 36A 30K/40K/55K Motion + Photo Sensor Type: T1, T2, T3 | (L) 38"<br>(W) 20"<br>(H) 5" | Solar: 70W<br>LiFePO4 Bat.:<br>12.8V x 36AH<br>PHILIPS LEDs:<br>60 x 5050 5W | 12,000<br>Lumens<br>(in Full<br>Power) | 250W ~<br>320W MH<br>HID Lamps<br>or Fixtures |


- Typical 8 Hours per Night 3 Days (Nights) in Intelligent Mode Motion Sensor Range 16ft, 120°
  - CCT 30K=3000K,40K=4000K, 55K=5500K ±10% 200 Lumen per Watt CRI ≈ 80 EPA 1.6 ~ 4.5 •
- (\*) Rated Life 50,000 Hrs. (L<sub>70</sub> B<sub>50</sub>) at T<sub>[A]</sub> 25°C Max. Rust-Free Aluminum Die-Cast Construction •






# 60W 36A Solar LED Street Light





• Rust-Free Heavy-Duty Aluminum Die-Cast Construction •




| Model  | Product   | Power   | Equivalent                              |  |
|--|---|---|---|--|
| SLSL-60W36A-30K-MS<br>SLSL-60W36A-40K-MS<br>SLSL-60W36A-55K-MS<br>T1, T2, T3                                   | Integrated Solar LED Street Light 60W 36A 30K/40K/55K Motion + Photo Sensor | Solar: 70W<br>LiFePO4 Bat.:<br>12.8V x 36AH<br>60 x 5050 5W | 250W ~ 320W MH<br>HID Lamps or Fixtures |  |
| Input Voltage  | Power/Power Factor  | Efficacy  | Flux                                    |  |
| Independent Solar<br>Operation: Charge by<br>Day – Light at Night  | Solar: 70W<br>LiFePO4 Battery:<br>12.8V x 36AH   460W                       | 200 lm/W  | 12,000 Lumens<br>(in Full Power)        |  |
| Life & Warranty  |   | Beam Angle  | Color Temperature                       |  |
| 10-Years Solar   5-Years Battery<br>50,000 Hours (L <sub>70</sub> B <sub>50</sub> ) T <sub>[A]</sub> 25°C Max. |   | Type<br>T1, T2, T3  | 3000K, 4000K<br>5500K ±10%              |  |





## 60W 36A Solar LED Street Light



#### **Dual Function Solar Panel:**

- Charge the Built-in Battery by Day
- Photo Cell Sensor for Motion Sensor and Dusk to Dawn operation

#### **Integrated Motion Sensor:**

- Sense Body Motion and Triggers Light
- Re-Trigger Light when Body in Motion

#### Mode "A": Motion Sensor Mode

Light turns On at 100% when Motion is Detected, and Dim down to 30% after 20 Seconds without Motion

#### Mode "B": Dusk to Dawn Mode

Light turns On at Dusk and Turns Off at Dawn (sensed by the Solar Panel).

Operation Modes "A" Motion Sensor or "B" Dusk to Dawn are set at the Factory with the Default as Mode "A" Motion Sensor Mode. Operation Modes and set up can be programmed by a Remote Control, available on request.